

# WEST Search History





DATE: Sunday, May 09, 2010

**Hide? Set Name Query****Hit Count***Interference**DB=PGPB,USPT,UPAD; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L14	L13 and (context switch).clm.	1
<input type="checkbox"/>	L13	L12 and emulat \$.clm.	93
<input type="checkbox"/>	L12	(verify \$ same program \$.clm.	9290

*Prior Art**DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L11	L9 and (compar\$ same target)	38
<input type="checkbox"/>	L10	L9 and (compar\$ same (subject and target))	8
<input type="checkbox"/>	L9	L5 and context switch	162
<input type="checkbox"/>	L8	L7 and context switch	8
<input type="checkbox"/>	L7	L5 and (compar\$ same (subject and target))	32
<input type="checkbox"/>	L6	L5 and (subject same target)	70
<input type="checkbox"/>	L5	L4 and ((convers\$ or convert\$) near2 (program\$ or code))	1722
<input type="checkbox"/>	L4	emulat\$ and verif\$	20961
<input type="checkbox"/>	L3	L2 and context switch	10
<input type="checkbox"/>	L2	L1 and emulat\$ and verif\$	171
<input type="checkbox"/>	L1	717/134-139.ccls.	2145

END OF SEARCH HISTORY

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in

Google

verify program code conversion emulator "context switch"

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 11,900 for verify program code conversion emulator "context switch". (0.17 seconds)

(WO/2004/042564) METHOD AND APPARATUS FOR PERFORMING VALIDATION OF ...

A method of **verifying program code conversion** performed by an emulator (30a), ... comprising the step of performing a **context switch** between at least an ...

[www.wipo.int/pctdb/en/wo.jsp?KEY=04%2F42564,040722...](http://www.wipo.int/pctdb/en/wo.jsp?KEY=04%2F42564,040722...) - [Cached](#)

(WO/2004/042564) METHOD AND APPARATUS FOR PERFORMING VALIDATION OF ...

A **context switch** is performed, by executing a **context switch** routine, ... Then, the first **emulator** 30a is used to **verify program code conversion** as ...

[www.wipo.int/pctdb/en/wo.jsp?KEY=04%2F42564,040722...](http://www.wipo.int/pctdb/en/wo.jsp?KEY=04%2F42564,040722...) - [Cached](#)

[Show more results from www.wipo.int](#)

Method and apparatus for performing incremental validation of ...

by JH Sandhu

Nov 4, 2004 ... A method and apparatus for **verifying program code conversion** performed by an **emulator**. A first **emulator** configured in a same-to-same (X-X) ...

[www.freepatentsonline.com/y2004/0221273.html](http://www.freepatentsonline.com/y2004/0221273.html)

SEgger Microcontroller - Context switching time

The time needed for a complete **context switch** including the time needed to switch the LED ...

Download the sample project below to test, compare and **verify** our context ... The following source **code** is excerpt from MeasureCST\_Scope.c: ... The example **program** calculates and subtracts the measurement overhead itself, ...

[www.segger.com/cms/context-switching-time.html](http://www.segger.com/cms/context-switching-time.html) - [Cached](#) - [Similar](#)

CS 162 Project Phase 3

(30%) Implement lazy loading of the **code** and data pages from user programs. That is, rather than reading all of the **code** and data from a user **program** at ...

[inst.eecs.berkeley.edu/~cs162/fa07/Nachos/phase3.html](http://inst.eecs.berkeley.edu/~cs162/fa07/Nachos/phase3.html) - [Cached](#)

Tics Realtime Kernel Definitions

In self-booting embedded systems, the **program code** is stored in FLASH. ... setting a breakpoint in ROM, mapping **emulator** memory to target board .... The hex file however, takes more time to load because ascii to binary **conversion** must be .... and a **context switch** is performed to the previously suspended task. ...

[www.concentric.net/~tics/ticsdef.htm](http://www.concentric.net/~tics/ticsdef.htm) - [Cached](#) - [Similar](#)

DevelopersGuide/ProgrammingMinix - Minix Wiki

Mar 12, 2010 ... What **programming** languages and compilers are supported by Minix? ... On a **context switch** Minix merely sets the "don't use IP" bit in some register. Costs? ... This isn't much work, we can simply take Minix-vmd's **code**, ...

[minix3.org/doc/enviro.html](http://minix3.org/doc/enviro.html) - [Cached](#) - [Similar](#)

[PDF] Project 3: Demand Paging

File Format: PDF/Adobe Acrobat - [Quick View](#)

For this project, we provide no new **code**—running inside the proj3 subdirectory will cause

nachos .... for the clock algorithm), and a **context switch** occurs. ...  
cseweb.ucsd.edu/classes/su09/cse126/p3.pdf

[PDF] MDK4\_.pdf.cdr

File Format: PDF/Adobe Acrobat - Quick View

The Debugger provides **Code Coverage** statistics to **verify** applications that require certification testing ... **program**. **Code** coverage identifies every instruction that ... Unlimited. **Context Switch**. <4 S. Memory Requirements. **CODE** Space ...  
www.keil.com/product/brochures/mdk\_2010.pdf

Thread-Based Virtual Duplex Systems in Embedded Environments

Therefore, we propose virtual duplex systems using **emulated** multithreading. .... The **program code** is divided into instruction blocks ranging in size from one to .... A is the **context switch** frequency of a virtual duplex system with ...  
doi.ieeecomputersociety.org/10.1109/MM.2005.39

Searches related to **verify program code conversion emulator "context switch"**

kernel context switch

context switch overhead

1 2 3 4 5 6 7 8 9 10      Next

---

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)